



# Township / Range Lines:

South line of Township 30N in Ranges 1E to 7E

East line of Ranges 1E to 7E in Township 30N




Indiana Historical Land Survey Documents project - LW & CJH, 2021

Surveyed: 10/1833


*E*  
Book 21


Book 21  
T. 30






78 10-20









T 30 N. R 7 E. 2<sup>nd</sup> pr. Me. Indian  
Chr. Rks Began at post standing on left  
bank of Eel River. Which is  
chains & 44<sup>th</sup> from corner of Sec  
32 & 33 - T 30 N. R 7 E. Then  
Went On South Side Section 32 (V. 6. 152  
5. 81 across Eel River. Set a post on  
Right Bank.

{ Buckeye 7 S 12 N 19.  
{ Black Walnut 5 N 19 E 55.  
29.55 White Oak 20  
40.00 Set 1/4 Section post -  
{ White Oak 14 N 29 E 35.  
{ Do ... 28 N 82 N 57.  
66.27 White Oak 18  
80.00 Set post corner Sec. 31 & 32  
{ W. Oak 10 N 63 E 41  
{ Do ... 13 N 14 N 37

Land level & 1<sup>st</sup> rate.  
Timber mostly Oak -  
N.G. Hazel, Frises and  
grapevines

T 30 N. 16 7 E.

Went On South Side Section 31  
Chs. lks

11.50 Enter Mark.

21.00 Left same.

24.11 White Oak 10

40.00 Set  $\frac{1}{4}$  Section post.

{ W. Oak 12 N 73  $\frac{1}{2}$  E 82

{ Do .. 14 N 1 W 35

53.40 White Oak 34

62.83 Intersected Range line 50 links  
North of Lim. post.

Set Town corner.

{ W. Oak 12 N 23 E 42

{ Do .. 12 S 52 W 24

Land & much as before -

T 30 N. R 6 E. Var. S. 15' E.

Chr. Sk.

Met On South Pkly. Section 36

26.12 B. Oak 10

40.00 Set  $\frac{1}{4}$  Section post -

{ M. Oak 12 N 60 W. 1.46

{ Do .. 12 N 50 E . 31

42.50 Enter Met prairie

59.50 Brook 10 like N, South and  
leave prairie -

65.23 White Oak 12

66.00 Trail S. W.

80.00 Set post corner Sect. 35 & 36

{ M. Ark 18 N 49 $\frac{1}{2}$  W 1.10

{ M. Oak 18 N 3 E . 71

Land level + 1st rate -

Thinly Limbed with Oak

Ark Elm + ---

M.G. Huckle berry + grape-  
vines -



4  
S 30 N. R 6 E.

Ch. Sk

Met On South Rly Section 35

25.42 White Wood 36

40.00 Set 1/4 Section post -

{ Buck 4 N 36 N. 9

{ Ironwood 7 N 26 E 18

48.86 Elm 14

56.00 Run 5 Ch. cr. S. N

80.00 Set post corner Sect. 34 & 35

{ Blue Buck 6 N 13 N 30.

{ Red Oak 22 N 68 E 35.

Land gently rolling and  
1st rate. Timber Oak

Buck Ash Elm and Iron-  
wood.

T 30 N. R. 6 E.

Chr. Lk.

Met On South Pkly - Section 34

20.00 Red Oak 138

27.00 Brook 6 lks. cr. S. E

40.00 Set 1/4 Section post -

{ Ironwood 5 N 65 W 19

{ W. Oak 20 N 28 E 33

66.03 Black Oak 7

79.00 Brook 8 lks. cr. N. W

80.00 Set post corner Sect. 33 & 34.

{ Butternut 10 N 63 W 25

{ Hickory 10 N 32 E 75

Land &c as before.

## T30 N. R66 E,

Chs. Lks,

Met On South Bdy Section 33

. 3.57 Brook 8 lks. cr. South -

22.57 W. Oak 16

23.00 Enter Mt Prairie

24.00 Brook 6 lks. cr. South -

30.00 Left Prairie -

40.00 Set 1/4 Section Post -

{ W. Oak 30 N50° W 42

{ Elm 18 N84 1/2° E 48 1/2

67.33 Hickory 7

80.00 Set post corner to Sections 32 &amp; 33

{ W. Oak 10 N50° W 40

{ Do. . 26 N41 1/2° E 51 1/2

Land level + 1<sup>st</sup> rate.

(Mark on prairie excepted)

Tim: Oak &amp; Hickory -

T 30 N. 166 E.

Chs Sk.

Met On South Bdy. Section 32

10.64 Hickory 710

40.00 Set  $\frac{1}{4}$  Section post -

{ W. Oak 16 N 79 $\frac{1}{2}$  E 2.28

{ Do .. 30 N 44 E 1.44

62.07 White Oak 14

80.00 Set post corner Sec. 31 & 32

{ W. Oak 10 N 22 $\frac{1}{2}$  E 1.79

{ Do .. 28 N 31 E .49

Sand level & 1 $\frac{1}{2}$  sets -

Oak & Hickory -



## T 30 N. R 6 E.

Chs Sk.

Met On South Bdy Section 31

11.72 W. Oak 8

40.00 Set 1/4 Section post -

{ G. Oak 4 N 12 W 43

{ W. Oak 5 N 75 E 16

48.00 Enter Mt Prairie -

69.50 Intersected Range line 4.98 South.

Lim. post - Set Town corner

{ W. Oak 26 S 76 E 16

{ B. Oak 8 N 80 1/2 W 61

Land rolling & 2<sup>d</sup> rate -  
Oak & Hickory.Oct<sup>r</sup> 6<sup>th</sup> 1833

T 30 N. 16 5 E. 100. 5. 40 E. 9

chs. 2ks

Nest

On South Bdy - Section 36

31.75

Hickory 18

40.00

Set 1/2 Section post -

{ Elm 16 N 71 E 17

{ W. Oak 15 N 85 1/2 W 47

59.50

Brook 30 Chs. cr. S. E

80.00

Set post corner Sections 35 + 36

{ W. Oak 17 N 32 1/2 E 26

{ Do. 10 N 1 1/2 W 36

Land rolling + 22 rods -

Thinly Limbed with  
Oak + Hickory -

## T 36 N R 5 E

Chs. Sks.

Met On South Bdy Section 35

15.00 a small pond of about  $3/4$   
 of a mile in circumference as  
 should judge - pond north  
 of line say 8 chains -

20.41 B. Oak 11

40.00 Set  $1/4$  Section post -

{ N. Oak 9 N 54 W 2.75

{ Do 10 N 87  $1/2$  W 6.34

80.00 Set post corner Suls. 34 &amp; 35

{ G. Oak 12 N 26 E 14

{ N. Oak 18 N 46 W 33

Land gently rolling & P.  
 note. Oak & Hickory -

T 30 N. 13 5 E,

Chs. Sk.

Met On South Bdy Section 34

25.00 Traie N. W

31.15 White Oak 10

40.00 Set 1/4 Section post -

{ W. Oak 7 N 84 E 44  
{ Do. 7 N 62 W 10

43.00 Enter Mt Pronio

46.00 Spring a few links South  
of Lim.

65.00 Left Pronio

72.15 B. Oak 30

80.00 Set post corner Sect. 33 & 34

{ W. Oak 11 N 17 1/2 E 1.41  
{ Do .. 18 N 73 W . 49

Land is much same -



## T 30 N. R 5 E

Ch. L.R.

Met On South Bdy Section 33

40.00 Set 1/4 Section post -

{ W. Oak 8 N 81 1/2 E 1.00

{ Do .. 26 N 88 W . 95

58.00 Enter Mt Prairie

61.00 Brook 10 Chs. crs. South

78.50 Left Prairie & a fine spring on  
S. E. -

80.00 Set post corner Sect. 32 &amp; 33

{ W. Oak 12 N 31 E 1.16

{ Do .. 34 N 20 1/2 W. 91

Land rather broken & 2. mts.  
Oak & Hickory -

13

S 30 N. R 5 E,

Chr. Lk

Net On South Side Section 32

23.47 N. Oak 9

40.00 Set 1/4 Section Post -

{ N. Oak 14 N 76 1/2 E 71

{ Do .. 15 N 79 W 27

60.96 N. Oak 9

80.00 Set post corner Sec. 31 + 32

<sup>Hickory</sup>  
{ ~~N. Oak~~ 10 N 57 E 17

{ N. Oak 10 N 59 1/2 W 84

Land level & 1<sup>st</sup> rate -

Oak & Hickory -

T 30 N. R 5 E,

Chs. Lk,

West On South Body Section 31

40.00 Set 1/4 Section Post -

{ Maple 4 S 68 E 9

{ Aspin 4 N 64 E 98

68.70 Intersected Range line 8.51  
South Lim. Post -

Set Town corner -

{ W. Oak 10 N 77 W 1.80

{ Do .. 10 S 58 W 3.82

Land &amp; much same

S 30 N. R 4 E (Tm. 7, 15<sup>15</sup> E,

Chas. St.

West On South Side Section 36

40.00 Set 1/4 Section post -

{ B. Oak 24 N 70 W 95

{ W. Oak 28 N 49 E 1.19

80.00 Set post corner Sec. 35 & 36

{ W. Oak 16 N 79 W .88

{ Do .. 34 N 12 E .61

Land gently rolling & 2<sup>d</sup> rate -

Thinly timbered Oak and  
Hickory -

T 30 N. R 64 E.

Chr. Lk.

Met On South Bdy Section 35

24.02 Red Oak 18

40.00 Set 1/4 section Post-

{ B. Oak 18 N 72 W 52

{ N. Oak 9 N 68 W 86

80.00 Set Post corner Sec. 34 &amp; 35

{ N. Oak 34 N 86 E 39

{ Do .. 9 N 50 W 1.67

Land &amp; Same

S 30 N. R 4 E.

17

Chs. Lk.

Met On South Bdy Section 34

40.00 Set  $\frac{1}{4}$  Section Post -

{ N. Oak 20 N 19  $\frac{1}{2}$  N 34

{ Do .. 10 N 63 E 29

46.00 Run 2 links. cor. N. W

60.00 Enter Met Prairie -

80.00 Set Post corner S.W. 33 & 34

{ N. Oak 10 S 68  $\frac{1}{2}$  E 2.32

{ Do .. 10 S 26 E 2.38

No bearing trees near corner on N. Side

Land here & R. 10 W.

Thinly timbered with Oak

Mostly plain —

## T30 N. R4 E

Chr. Lk.

Met On South Bdy Section 33

9.00 Leave Mt Personid -

14.89 B. Oak 16

40.00 Sec. 1/4 Section Post -

{ N. Oak 18 N 8 W 104

{ Do .. 8 N 80 E 196

57.65 Hickory 7

79.90 Trail N. W.

80.00 Sec Post corner Sect 32 + 33

{ N. Oak 10 N 8 W 28

{ Do .. 24 N 31 1/2 E 24

~~No trees near corner North of line~~

Land &amp; much same



T 30 N. R 4 E.

19

Chr. LK

Mert

On South Bdy Section 30

1. 30

brook 6 LK, cr. S. N.

11. 36

W. Oak 8

28. 00

Brook 12 N. N

40. 00

Set 1/4 Section Port.

{ Butternut 4 N 51 1/2 W 32

{ Elm .. 7 N 50 1/2 E 32

46. 50

Brook 5 LK, cr. N. N.

61. 66

White Wood 26

80. 00

Set port corner Sep. 31 & 32

{ Ironwood 6 N 22 W 32

{ Hickory 5 N 53 E 30

Land rolling & 22 rods -

Oak Ash Elm and Ironwood

## T 30 N. R 4 E.

Chs. Sk.

Met On South Poly Section 31

24.08 Red Oak

40.00 Set 1/4 Section post.

{ White Wood 6 N 39 W 5 1/2

{ do . . . 4 N 21 E 27

58.00 Enter Marsh

60.50 Left Same

63.30 Intersected Range line 3.00

At South Lim. post -

Set Town Corner

{ Elm 15 N 22 W 16

{ Sugar 5 S 46 E 46

Land line & 1 1/2 mile (marsh  
excepted). Oak Ash Elm  
White Wood - Hickory and  
Ironwood -

21

T 30 N. R. 3 E. Var. 8. 40 E

Ups. Lfs

Nest

19.75

40.00

On South Bdy Section 36

Black Walnut 34

Set 1/4 Section Post -

{ B. Oak 7 N 62 E 44

{ Do. 8 N 27 W 8

71.65

80.00

M. Oak 24

Set post corner SW 35 & 36

{ M. Oak 8 N 71 E 50

{ White wood 5 N 60 W 21

Sand live + 1 1/2 ft -

Oak Ash Elm Birch

Iron wood B. Walnut +

Run the same

## T30 N. R. 3 E

Chs. Lks

Nest On South Bdy Section 35

16.73 B. Oak 26

40.00 det 1/4 Section port

{ Eem g N 87 E 90

{ Maplg N 50 W 20

67.00 Enter Willow Swamp-

76.00 Left Same

88.00 det port corner Sulp. 34 &amp; 35

{ M. Oak y N 34 E 77

{ M. Ark 18 N 82 W 67

Sand &amp; much same -

23

T 30 N. R 3 E,

Chs. Lks

Net On South Bdy Section 34

21.34 Elm 12

40.00 Set 1/4 Section Post -

{ Hickory 16 N 54 E 31

{ Elm 12 N 57 W 35

64.75 Hickory y

80.00 Set post corner Sec. 33 & 34

{ Burr Oak 12 N 65 E 3# 63

{ W. Ash 10 N 43 W 12

Land & Saw

T 30 N. R 3 E

Chs. Lks

Met On South Rly Section 33

28.67 Sugar 16

40.00 Set  $\frac{1}{4}$  Section Post

{ White wood 36 N 20 W. 3  
 { B. Oak. 8 N  $72\frac{1}{2}$  E 71

55.00 Road from Goshen to the  
Potterwatsony Mills cr. N & S.

65.81 B. Oak 120

80.00 Set Post corner Sec. 32 &amp; 33

{ Iron wood 6 N  $78\frac{1}{2}$  E 74{ Buck .. 9 N  $33\frac{1}{2}$  W 60

Land to as before

T 30 N. R 3 E.

Chr. Sk

Met On South Bdy section 32

26.39

Hickory <sup>wood</sup> 6

40.00

To a white 38 in diam corner  
Tree to 1/4 section

56.69

N. Ash 14

80.00

Set post corner Sect. 31 &amp; 32

{ Ecm 6 N 73 E 47

{ do 7 N 35 W 29

Land &amp; Sam. —



T 30 N. R 3 E.

Ch. LKs

Met On South Bdy Section 31

9.27 To East line of lot No 307  
 N. R. S. 4 chains & 26 links  
 South of N. E corner of said  
 lot. dit part.

{ Blue Ash 10 N 29 E 41  
 { Do .. 9 S 77 E 45

40.00 no part or bearing

47.50 Center of Michigan Road

69.25 Intersects Range line 40 links  
 South of Lim. part

<sup>corn</sup>  
 no part on borings -

Land line &amp; good -

Oak Ash Elm

5.45  
T 36 N. B. 2 E, Var. ~~1~~ E

Chs. Lks

Met On South Bdy Section 36  
21.84 to Met line of lot No. 37 M. R. L.  
3 chs. 91 links South of N. W. cor-  
ner of said lot No. 37.

Set post in Mark

{ Aspen 9 19 N 5.08

{ Burr Oak 12 N 88 1/2 W 8.70

29.00 Set Mark -

40.00 Set 1/4 Section Post -

{ N. Oak 15 N 67 E 57

{ B. Oak 10 N 7 W 21

64.60 N. Oak 24

80.00 Set post corner Sect. 35 & 36

{ Burr Oak 10 N 29 E 3 1/2

{ Do .. 26 N 75 1/2 W 26

Land sold at 1 1/2% rate -

Oak Ash Elm Spruce

Iron wood

and the same

T 30 N. R 2 E

Ch. Lk.

Port On South Pk Section 35

18.47

W. Oak 8

40.00

Set 1/4 Section Port

{ Hickory N 78 E 34

{ W. Oak 10 N 41 W 32

53.00

Enter Mark

80.00

Set port corner <sup>58 1/2</sup> Sec. 34 & 35{ Willow 5 N ~~88~~ E 14.07

{ W. Oak 10 N 69 1/2 W 2.14

Land line & 1st note  
East of Mark. Timber  
as before -

T 30 N. R 2 E

29

Ch. Lp.

Met on South Bdy Section 34

3.00

Left marsh & Enter Wet Prairie

40.00

At 1/4 Section post

5 B. Oak 18 N 86 E 1.44

2 G. Oak 25 N 78 W. 82

80.00

Left post corner Sec. 33 & 34

{ Hickory 14 N 45 E. 2.89

{ Do. 2 6 N 89 1/2 W 6.64

Land mostly marsh & wet  
Prairie - very little timber

## S 30 N. R 2 E

Chs Lts

Met On South Side Section 33

6.00 Left Mt Promin

36.00 Enter Marsh

40.00 Left 1/4 Section Port in Marsh

{ B. Oak 16 N 7/8 E 4.12

{ no other

45.00 Left Marsh

80.00 Left port corner to Secs. 32 &amp; 33

{ B. Oak 20 N 1/4 E 3.56

{ Do .. 16 N 9/8 W 3.81

Land level &amp; 2. rate -

Thinly with timber

with Oak, but in places

31

T 30 N. B 2 E

Ch. Ch

Went On South Bdy Section 32

21.05 N. Oak

40.00 Set 1/4 Section Port -

{ N. Oak 8 N 19 1/2 E 114

{ Do. . 8 N 56 1/2 W 80

80.00 Set port corner S. 30 N 32

{ N. Oak 12 N 87 1/2 E 2.83

{ Do. . 10 N 89 1/2 W 31

Land & Lane

T 30 N. B 2 E

Ch. Lk

Met On South Bdy Section 31

40.00 Set 1/4 Section post

{ W. Oak 12 N 14 E 5.77

{ B. Oak 10 N 89 1/4 W 3.22

65.00 Enter Marsh

76.98 Intersected Range line 81 hbk

South of Im. post -

Set Town Corner

{ B. Oak 10 S 48 E 5.58

{ Do 20 N 57 1/2 W 17.28

Land &amp; much same



33  
T 30 N. R. 1 E. Twp. 5. 20' 06

Chs. Lts

Nest On South Bdy Section 36  
Randomed across the South  
~~#0.00~~ Bdy of Towns this Town and  
~~with~~ came 26 links North of the  
corner of Towns 29 & 36 -

---

Nest On South bdy Section 36

40.00 Set 1/4 Section post in Mark  
{ Burr Oak 14 N 64 W 6.54  
{ no other

80.00 Set post corner to Sect. 35 & 36  
in Mark -

{ Burr Oak 20 N 65 E 7.44  
{ no other mark

Land level & poor  
all mark

## T 30 N. B 1 E

Chs. Lts

Met On South Bdy between 35

10.00 Left Mark

40.00 Set 1/4 Section Post —

{ Hickory 12 N 5 W. 6.20

{ B. Oak 7 N 23 E. 5.98

80.00 Set post corner to Sect. 34 &amp; 35

{ W. Oak 16 N 29 W 2.09

{ B. Oak 14 N 72 E 2.31

Land level &amp; 2. rate.

Thinly timbered with Oak

T 30 N. 16 E.

Up. Sts

Met On South Poly Section 34

40.00 Set  $\frac{1}{4}$  Section Port  
 { Hickory 14 N 58 E 61  
 { Do 12 N 6 E 41

80.00 Set Port corner Sec. 33 & 34  
 { B. Oak 12 N 28 E 1.58  
 { Do . . 18 N 6 E 1.53

Land & as before

T 30 N. R 1 E

Chs. Lk

Met On South Bdy Section 33

40.00 Set 1/4 Section Post -  
 { B. Oak 14 N 30 W 1.63  
 { Do 20 N 23 E .80

80.00 Set post corner to Sec. 32 & 33  
 { B. Oak 16 N 2 W 6.75  
 { W. Oak 18 N 8 E 7.16

Land &amp; Saw

37

T 30 N. R. 1 E

Lk. Lk

West On South Bdy Section 32

26.00 Enter Marsh  
31.00 Leave same  
40.00 Set  $\frac{1}{4}$  Section Post  
    { W. Oak 20 N 46 W 2.93  
    { No other  
70.00 Enter Marsh  
80.00 Set Post Corner Sec 1. 31 & 32  
    { Hickory 18 N 41 W 13.64  
    { B. Oak 20 N 75 E. 6.65

Land & as before

S 30 N. R. 1 E.

Ch. Lk.

Nest on South Pdy section 31

40.00 Set 1/4 Section post in Marsh  
B. Oak 12 N 18 W 13.54  
No other

45.00 Brook 10 Ch. on S. W

64.30 Intersected Men at corner  
of Towns 29 & 30

Land & all Marsh-

39

T 30 N. R 7 E.

Chs. 2 1/2

Var. E 30 E

Began at post standing on left  
bank of Elk River 30 ch & 85 links  
from 1/4 Section corner on East  
Side Section 13 T 30 N. R 7 E, then  
North On East Side Section 13  
75.10 Set post on Right bank of Elk R.  
N. Oak 10 corner.

80.00 Set post corner Sections 12 & 13  
{ Back 25 N 74 W 47  
{ Elm 6 S 62 W 61

Land rolling & 1st rate.  
Oak Ash Elm Spruce



Apr. 26. L 35 N 67 E

North on East Side Section 12

3.75 To find in Red River on S. E

~~Section~~ N. Oak 8 corn. on

Right bank River

19.76 Hickory 6 corn on Right bank R.  
crs. S. W.

25.41 Sugar 7

40.00 Set 1/4 section post.

{ Buckeye N 66 W 8

{ Corn 4 S 32 1/2 W 45

65.24 Sugar 24

80.00 Set post corner Sections 1 & 12

{ Buckeye S 6 W 53

{ Do 12 N 35 W 46

Land here & 1<sup>st</sup> rate - Oak

Ash Elm Sugar Ironwood and  
Buckeye.

N.G. Ash Buck Ironwood  
Lead-wood &

cts. Lks.

S 30 N. 167 E.

North On East Side Section 1.

17.14 Sugar 10.

40.00 Set 1/4 Section Post.

{ N. 1/4 13 S 37 N 23.

{ Buck 14 N 28 W. 8.

49.50 Brook 6 lks. cr. S. E.

60.45 Corn 7.

80.00 Set 2 in. Town corner.

Land & much as before.

Oct. 8. 1833

chs. Lk, T 30 N 16 6 E, Var. 5. 45 E  
North On East Side Section 36

32.24 W. Oak 16

40.00 Set  $\frac{1}{4}$  Section Post -

W. Oak 20 N 50 W 81

{ Do. 18 S 39 W 22

47.50 Brook 10 Chs. crn. S. W

63.39 Sugar 12

80.00 Set post corner to Sect. 25 & 36

Sprucewood 7 S 39 W 17

{ Elm 8 N 5 W 7

Land level. S  $\frac{1}{2}$  2<sup>nd</sup> 10<sup>th</sup> - Oak -  
N  $\frac{1}{2}$  1<sup>st</sup> 10<sup>th</sup> - Oak Ash Elm  
Sugar Birch B. Walnut and  
Ironwood.

N. E. - Much Same

Apr. 28, T 30 N R 6 E,

North On East Side Section 25

19.08 Map 10

40.00 Set 1/4 Section post -

{ Ironwood 6 144 ft N 4

{ do ... 4 129 ft N 34

57.00 Brook 6 ft. crs. East -

62.89 Red Oak 16

80.00 To a Buck 20 in. corner to S and  
24 & 25 -

Land & as lost 1/2 mile

44.

chs. LK

North

12.60

18.33

40.00

T 30 N 186 E.

On East side Section 24

Brook 5 ch. cr. East

N. Oak 16

Set  $\frac{1}{4}$  Section Port

{ Eem S 8 N 20

{ Sugar 6 N 36  $\frac{1}{2}$  N 22

60.11

Buck 16

80.00

Set Port corner to Sect 13 & 24

{ Buck 14 N 87  $\frac{1}{2}$  N 67

{ Eem 7 S 44  $\frac{1}{2}$  N 27

Land & Same

Oct. 7, 1833

Ch. Lk. T 30 N. R 6 E.  
North On East Side Section 13

3.50 Brook 6 Lk, S. E  
15.81 Buck 12

40.00 Let 1/4 Section Post  
Sugar 6 N 19 W 22  
Buck 10 S 71 W 43

61.92 Buck 15

80.00 Let Post corner Sect 12 & 13  
Sugar 12 N 21 W 48  
Buck 18 S 63 W 24

Land & Sam

46

Ch. Lk., T30 N R 6 E,  
North On East Side Section 12

20.40 Eem 24

40.00 Set pt Section Port-

{ Buck 8 N 6 W 43

{ Eem 18 S 28 W 46

60.00 Buck 8

80.00 Set Port corner to Sec. 12

{ Sugar 20 N 32 W 40

{ Buck 18 S 21 W 41

Land & Same

As. L. R. T 30 N. R 6 E,  
North On East side Section. 1

26.14 Buck 10  
40.00 det 1/4 section Post -  
{ Buck 20 N 35 W 19  
{ Do .. 18 S 23 W 32

59.81 Sugar 25  
80.00 det Lim. Town Corner

Land & Sam



As. LK T30 N. R. 5 E. Var. ~~450~~ E

North On East side Section 36

2.50 Enter Marsh -

9.50 Leave same -

26.04 Hickory 8

40.00 Set 1/4 Section Post -

{ G. Oak 14 S 88 W 91

{ Do .. 11 N 17 W 76

54.14 W. Oak 18

67.50 Pond mostly West of line -  
East 5 chains

offset { North 9 chs. 50 lbs.

{ West 5 chains back to line

77.00 Fell in with line

80.00 Set post corner to Sec. 25 & 36

{ G. Oak 20 S 45 W 11

{ Do .. 22 N 45 W 20

Land rolling & 2. note.

Thinly timbered with oak  
& Hickory - around pond  
mostly -

49

~~S~~ 30 N. 16.5 E.

North On East side Section 25

22.47 B. Oak 10

40.00 Set Post for  $\frac{1}{4}$  Section corner

{ N. Oak  $\frac{1}{2}$  N 45° E 18

{ Do 18 S 6° W 18

54.00 Run 3 lks. cor. S. W.

58.05 W. Oak 16

70.50 Another run 2 lks. cor. S. W

80.00 Set Post corner to Sub. 24 & 25

{ Buck 6 S 40° E W 81

{ Do 7 N 48° E W 32

Land rolling - S.  $\frac{1}{2}$  2<sup>d</sup> vote -

Oak - N.  $\frac{1}{2}$  1<sup>st</sup> vote -

Oak Oak Buck & Elm -

Ch. Lk. T 30 N. R 5 E.

North On East Side Section 24

5.50 Run 2 lks. cr. West -

14.16 Sugar 8

27.66 Elm 14

28.50 Another run 2 lks. cr. West -

40.00 Set 1/4 Section Post -

{ B. Oak 18 S 49 1/2 N 39

{ Buck 5 N 16 W 9

49.70 N. Oak 10

52.50 Run 4 lks. cr. S. N.

67.46 Buck 18

80.00 Set Post corner to Sec. 13 & 24

{ White-wood 20 S 26 1/2 N 66

{ B. Oak 4 N 11 W 29

Land rolling at 1<sup>st</sup> rate -

Oak Ash Elm Lynn Ironwood  
+ White-wood -

N. G. Sam

Ch. Lk. T 30 N. N 5 E

North On East Side Section 13

3.25 Run 2 lks. cr. S. N.

25.00 W. Ark 26

40.00 det. 1/4 section Port.

Gaugon 6 S 26 N 20

[ Buck 20 N 79 W 28

58.88 W. Ark 8

63.00 Enter Willow Swps -

68.00 Leave same -

80.00 det port corner to Sect. 12 & 13 -

Gcem 15 S 20 N 22

[ Blue Ark 7 N 36 1/2 W 43

Land & Same -

52  
Chr. L. to T 30 N. 16.5 E.  
North On East side Section 12  
21.00 run 2 lks. cor. S. W.  
22.44 Blue Ark 8  
36.00 Another run 2 lks. cor. S. W.  
40.00 Set 1/4 Section Post -  
    { W. Oak 8 1/4 p N 17  
    { Ironwood 6 1/4 p N 40

56.85 W. Oak 8  
78.50 To sluggish stream 70 cor. S. W.  
80.00 Set post corner to Sec. 14 12  
    { Sycamore 12 S 16 W 33  
    { Elm .. 8 S 56 W 103

Land is much same  
mostly on border of stream

Chr. Lk S 30 N. B 5 E,  
North On East side section 1  
14.00 Enter Marsh  
18.00 South Margin of small pond  
          { West 7.00  
Offset { North 9.00  
          { East 7.00 reduced offset  
27.00 Fell into line on North side pond  
36.00 Leave Marsh + Enter poor timber  
40.00 Set 1/4 section post  
          { Run 9 S 84 E 32  
          { Do 11 S 26 1/2 E 35  
40.50 Reenter Marsh  
44.83 Intersected South Margin of Lake  
Set post - { Aspin 10 S 2 1/2 E 4.72  
              { Do . 7 S 1 3/4 W 5.16  
              { West 8.00  
Offset { North 13.67  
          { East 8.00 reduced offset  
58.50 Fell into line on North side Lake  
Set post - { W. Oak 12 N 1 1/2 W 4.53  
              { Do . 14 N 28 3/4 W 3.69  
64.00 Left Marsh -  
80.00 Lim. post - Land level +  
          generally poor. timbered very  
          thin with Oak Ash Elm -

chr. lts. T 30 N. R 4 E. Var. ~~7.45~~ E,  
 North On East side Section 36  
 17.95 Red Oak 18  
 40.00 Set  $\frac{1}{4}$  section post—  
     { W. Ash 12 S 40 N 19  
     { Elm. 20 N 13 N 11

70.15 W. Oak 28  
 80.00 Set post corner to Sec. 25 & 36  
     { B. Oak 5 S 53 N 43  
     { Ironwood 6 N 30 N 46

Land gently rolling & 1<sup>st</sup> cont.  
 Oak Ash Elm Hickory  
 Ironwood & Gum—  
 Undergrowth Sassafras  
 Brins & grapevines.

As. L<sup>th</sup> S 30 N. R 64 E.  
 North On East side Section 25

13. 14 Sugar 8  
 40. 00 Set 1/4 Section Post -  
     { N. Oak 6 S 52 N 31  
     { Do .. 7 N 45 E N 40

63. 07 N. Oak 30  
 80. 00 Set Post corner to Sec. 24 & 25  
     { N. Oak 6 S 20 N 23  
     { Do .. 10 N 82 E N 31

Land & Sam -



56.

Apr. 16 S 30 N. R 4 E.  
North On East side Section 24

17.47 Sugar 14

40.00 Set 1/4 Section Post

{ Oak Ark 8 S 35 1/2 N 36

{ Sugar 20 N 58 1/2 W 20

60.97 Sugar 18

80.17 Set Post corner to Sect. 13 & 24

{ Buck 20 S 53 N 57

{ Maple 12 N 34 W 49

Land rolling & 1<sup>st</sup> rate -

Oak Ark Buck Corn Sugar

Maple - N<sup>o</sup> p thick growth

of small Buck Ark Lynn &

57

Mr. L.B. L 30 N. R 4 E.  
North On East side Section 13

15.97 Sugar 16  
40.00 Set 1/4 Section Post -  
{ M. Ash 16 S 66 N 33  
{ Ironwood 4 N 60 W 18

44.75 Muggish Stream 8 Chen. N. W  
59.27 Buck 8  
80.00 Set Post corner to Secs. 12 & 13  
{ Buck 149 N 22  
{ Do 10 N 35 W 67

Land rolling & 1st vote -  
Oak Ash Buck Elm  
Lynn - M. G. Samu

58

Apr. 26 S 30 N. R 4 E

North On East Side Section 12

16.45 Lynamore 30

40.00 dit 1/4 Section Port

{ Buck 10 S 54 N 22

{ Ironwood 6 N 31 1/2 W 37

54.24 Buck 8

80.00 dit Port corner to Sec. 12

{ Buck 9 S 77 N 22

{ Elm 10 N 24 W 30

Land & Sam -

chs. Lts T 30 N. R 4 E  
North On East side section 1

18.19 Buck 6

40.00 det. 1/4 section Post -

{ M. Ark 14 S 5 1/2 W 1.37  
{ Gum 9 N 35 W , 35

63.30 Buck 12

80.00 Lim. Town corner

Land & Larn

Oct. 4. 1833

60

610

Chs. Lk. S 30 N. E 3 E. 100' E.

North On East Side Section 36

35.00 Enter Marsh

40.00 Set 1/4 Section Post:

{ Elm 8 N 57 W 9  
 { B. Oak 14 S 32 W 30

41.00 Stream 10 Ch. cr. N. W.

47.00 Leave Marsh.

50.00 Set Post corner to Sec. 25 &amp; 36

{ Hickory 14 N 81 W 43

{ W. Oak 8 S 64 W. 5

Land level.

1<sup>st</sup> 1/2 p thickly timbered with  
Oak Bark Oak Elm -2<sup>nd</sup> 1/2 p Oak opening.Soil on whole mile 2<sup>nd</sup> water

Chs 2<sup>1</sup>/<sub>2</sub> T 30 N. 16 3 E.  
North On East side Section 25

12.00 Enter Timbered Land

40.00 Set 1/4 Section Post -

{ N. Oak 20 N 68 W 1.60

{ Do .. 14 S 43 W 2.78

70.00 Enter Marsh

77.00 Leave Marsh

80.00 Set post corner to Sec. 24 & 25

{ N. Oak 20 N 30 W 28

{ Do 24 S 57 W 80

Land rolling & 1<sup>st</sup> vote -

Oak Ash Elm Dogwood and  
White wood -

62

Chs. Lk. T 30 N. 163 E

North On East Side Section 24

40.00 Set 1/4 Section Post -

{ N. Ark 8 N 40 N 53

{ N. Oak 20 S 70 N 63

80.00 Set Post corner to Sec. 13 & 24

{ Hickory 12 S 46 N 44

{ Linn 26 N 66 N 10

Land &c as before

As. Lk. T 30 N. R 3 E.  
North On East Side Section 13

4.50 Enter Mt Prairie  
30.00 Leave Same  
40.00 Set  $\frac{1}{4}$  Section Post.  
     { W. Oak 6 N 17' N 45  
     { Do ... 5 S 70' N 29

80.00 Set post corner to Sub. 12 & 13  
     { Hickory 6 S 12' N 64  
     { Elm 30 N 11' N 84

Low flat & 22 rods. Thinly  
 timbered with Oak, Aspen &  
 Hickory.



63

As. Ltg. T 30 N. R 3 E.  
North On East Side Section 12

24.04 Aspin 30

40.00 Set  $\frac{1}{4}$  section post -

{ Cem 12 S 67 W 128  
{ G. Oak 10 N 19 W 89

58.00 Enter Marsh

66.00 Leave same -

70.22 Hickory 12

80.00 Set Post corner to Sect. 1 & 12

{ Hickory 6 S 52 W 54  
{ Cem 10 N 27 W 129

Land & same -

Mrs. Lk. S 30 N. R 3 E.  
 North On East Side Section # 1  
 19.80 M. Oak 20  
 26.00 Enter Mt. Prairie  
 33.00 Leave Same -  
 40.00 Set 1/4 Section Post -  
     { Red Oak 8 N 26 W 6  
     { Hickory 6 S 32 W 22  
 43.00 Mt. Prairie  
 61.00 Leave Prairie & Enter Lim. Sand  
 62.30 Stream 20 Cks cr. N. W  
 80.00 Lim. Four Corners

Sand & much as before -

65

6 10

My Lk. S 30 N. R. 2 E. Twp. ~~10~~ E,  
North On East Side Section 36

- 4.17 Intersects South Bdy Section 36  
(M. R. L.) 21.00. 78.00. East of N. W  
corner of Section 37 (M. R. L.) lat post  
N. Oak 9 N 31 W 57. Donwood 6 N 41 E 47  
16.36 W. Oak 28  
40.00 lat 1/4 section post - Aspin 7 S 18  
N 37 - Do. 7 N 12 W 16  
58.03 Red Oak 24  
80.00 lat post corner to Sulp. 25 + 36  
M. Oak 9 S 83 W 19  
{ Buck 20 N 30 W 19.  
Sand level - 5 3/4 flat + poor.  
remains good. Oak. Ash Elm

North On East Side Section 25

- 27.58 Red Oak 28  
40.00 lat 1/4 section post  
{ B. Ash 8 S 13 W 26  
{ Blue Ash 4 N 31 1/2 W 41  
54.80 M. Oak 38  
~~72.00~~  
~~80.00~~ Enter Mt Prairie  
80.00 lat post corner to Sulp. 24 + 25  
Burr Oak 10 S 1 W 8.34 - M. Oak 24  
N 1/4 W 15. 79 - Sand level + 1 1/2 rate -  
Buck, Ash, Oak, Elm, Lym +

Chr. Lts S 30 N. R 2 E.

North On East Side Section 24

15.00 Left Mt Prairie -

25.90 Hickory 10

40.00 Set 1/4 Section Port -

{ Ironwood 6 S 39 N 17

{ W. Ark 8 N 6 W 20

80.00 Set port corner to S. 13 + 24

{ W. Oak 6 S 11 N 55

{ Elm 15 N 34 1/2 W 32

Sand lime + 1<sup>st</sup> rate. Oak Ark Elm

Lynn + Hickory - R. S. Hazel Oak

miscs

North On East Side Section 13

15.98 Red Oak 22

40.00 Set 1/4 Section Port -

W. Oak 10 S 33 N 15 - Elm 26 N 71 W 35 -

53.20 W. Oak 28

80.00 Set port corner to S. 12 + 13

{ W. Oak 20 S 76 1/2 W 2.27

{ Do 11 N 26 W .52

Sand lime - S. 1/2 1<sup>st</sup> rate - Buck

Oak Lynn Ark Lynn + Hickory

R. 1/2 2<sup>nd</sup> rate - Principally Oak

not in place -

Asks Ls S 30 N. R 2 E  
 North On East Side Section 12  
 40.00 Set 1/4 Section Post -  
     { G. Oak 10 S 56 N 32.5  
     { Do .. 16 N 4 W 3.35  
 55.86 G. Oak 26  
 80.00 Set post corner to Sec. 1 & 12  
     { G. Oak 3 S 27 W 14  
     { W. Oak 4 N 48 W 33  
 Sand level & 2<sup>d</sup> rate - Thinly  
 timbered with W & G. Oak

---

North On East Side Section 1  
 20.00 Enter Mt. Province  
 35.00 Left same -  
 40.00 Set 1/4 section post  
     { B. Oak 7 N 63 W 72  
     { Hickory 9 N 27 W 40  
 58.00 Enter North  
 68.50 Leave same  
 80.00 Set Lim. Town corner

Sand & much as before

Mr. Lts	T 30 N. R 1 E Var. E 80 E.
North	On East Side Section 36
40.00	<sup>Begin in marsh -</sup> Set $\frac{1}{4}$ section Post -
	{ W. Oak 12 N 82 W 1.84
	{ Do 12 S 62 W 1.92
75.00	Left marsh -
80.00	Set post corner to Sect 25 & 36
	{ B. Oak 18 N 24 W 13
	{ Do . 18 S 8 W 112
	Land level & mostly marsh
	Soil poor -
	<hr/>
North	On East Side Section 25
6.00	Enter marsh -
23.50	Leave same -
40.00	Set $\frac{1}{4}$ section Post -
	{ W. Oak 24 S 14 W 39
	{ B. Oak 18 N 40 W 93
49.00	Enter marsh -
59.50	Leave same -
80.00	Set post corner to Sect. 24 & 25
	{ B. Oak 16 S 10 W 1.62
	{ no other mar
	Land & same

69

Asth

T 30 N. B. 1 E

North On East side Section 24

28.88

B. Oak 12

40.00

Set 1/4 Section Post -

{ B. Oak 16 S 48 N 62

{ Do .. 12 N 10 W 29

80.00

Set post corner to Sec. 13 &amp; 24

{ B. Oak 14 N 56 W 68

{ Do .. 12 S 40 W 24

Land &amp; as before

North

On East side Section 13

16.00

Enter Marsh

40.00

Set 1/4 Section Post

{ B. Oak 24 S 7 W 8.12

{ no Other

80.00

Set Post corner to Sec. 12 &amp; 13

{ M. Oak 20 S 7 W 12.18

{ no Other

Land mostly marsh.

a few scattering Oak

Soil poor -

As Lks  
 North T 30 N. P. 1 E.  
 40.00 On East Side Section 12  
 Set 1/4 Section Post -  
 { G. Oak 10 N 23 W 4.55 8.58  
 { G. Oak 10 N 51 W 53.93  
 60.00 Left prairie  
 68.81 W. Oak 20  
 80.00 Set post corner to Sec. 1 & 12  
 { W. Oak 20 N 77 W 2.08  
 { Do 10 S 21 W 61  
 Land here & North prairie  
 22 rods - Oak -

---

North On East Side Section 1  
 14.32 W. Oak 18  
 40.00 Set 1/4 Section Post  
 { W. Oak 18 East 28  
 { Do 18 S 14 W 50  
 80.00 Turn Town Corner -  
 Land & same -



I do hereby certify that in pursuance  
of a contract with M. T. Williams Surveyor  
Gen<sup>l</sup> of the United States for the States  
of Ohio and Indiana & Michigan Ter.  
and Robert Clark gr. & Sylvester Sibley  
bearing date July 1<sup>st</sup> 1833. and in  
strict conformity of the laws of the  
United States and instructions from  
said Surveyor Gen<sup>l</sup>. I have laid out  
and surveyed the exterior Townships  
lines described in the foregoing pages  
of this book, which are the true  
and original field notes of the  
survey which they purport to be  
as taken on the said lines.

Certified at Cincinnati  
this 10<sup>th</sup> day of May 1834

Sylvester Sibley

Chapman { John Hodgson

{ James <sup>his</sup> Inks  
mk

See map { John Inks

